

Brevillier-Urban & Sachs GmbH CoKG

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Sepia Light and Dark Dry Leads 263 22 and 263 32

Date: 16.12.2014

Revision Date : 01.03.20

Seite 1 von 4

1. PRODUCT NAME AND CODE

Product Name:	Sepia Light and Dark Dry leads 263 22 and 263 32 Sepia leads: 263 22 = light + dry, 263 32 = dark + dry	
Intended use:	Artist material/Colored leads	
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG Am Anger 1 A-7024 Hirn Phone: +43(0)2687 54245-0 Fax: +43(0)2687 54245-549	Importer - S&S Wholesale Pty. Limited 18/10 Pioneer Avenue, Thornleigh NSW 2120 Tel: 1300 731 529 Fax: 1300 739 715
Person responsible for safety data sheet:	Brigitte Heilmayer	Emergency Contact:
Email:	heilmayer@brevillier.com	S&S Wholesale Pty. Limited
Emergency Telephone no.:	+43 2687 54245-0	Tel: 1300 731 529 Fax: 1300 739 715

2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no NTP: no IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances and colouring agents
Description	Mixture of substances listed below with non hazardous additions Pigment red 101: CAS 1309-37-1; EINECS 215-168-2 Carbon black: CAS 1333-86-4; EINECS 215-609-9 Kaolin: CAS 1332-58-7; EINECS 310-194-1 Talcum: CAS 14807-96-6; EINECS 238-877-9 Calcium carbonate: CAS 1317-65-3; EINECS 215-279-6 Quartz: CAS 14808-60-7; EINECS 238-878-4 Clay: EINECS 310-127-6 Calcium stearate: CAS 1592-23-0; EINECS 216-472-8
Dangerous components	None

4. FIRST AID MEASURES

Brevillier-Urban & Sachs GmbH CoKG

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Sepia Light and Dark Dry Leads 263 22 and 263 32

Date: 16.12.2014

Revision Date : 01.03.20

Seite 2 von 4

First Aid	
Skin Contact	Remove any contaminated clothing. Wash with soap & flowing water for 15 minutes. If irritation occurs consult a physician.
Eye Contact	Irrigate with a suitable eye solution or water for ten minutes – obtain medical attention.
Inhalation	
Ingestion	Give plenty to drink if ingestion is suspected. DO NOT induce vomiting and consult a physician.

5. FIRE-FIGHTING MEASURES

Hazard	Explosive Limits: none
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Media to avoid	
Hazardous Combustion Products	Carbon Monoxide (CO) can form with incomplete combustion. Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed. Complete combustion will yield primarily Carbon Dioxide (CO2) and Water.
Protective Equipment	Fire fighters should wear proper protective equipment and self-contained breathing apparatus with full face-piece
Additional Information	Move exposed containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin and eyes.
Environmental Precautions	Prevent contamination of soil and water. Refer to Sections 8.0 and 13.0 for additional information on Exposure and Disposal.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
Storage	Keep away from direct sunlight and other sources of heat. Keep away from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains. Store at 25° C under dry conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
-----------------------	---------------

Brevillier-Urban & Sachs GmbH CoKG

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Sepia Light and Dark Dry Leads 263 22 and 263 32

Date: 16.12.2014 Revision Date : 01.03.20 Seite 3 von 4

Exposure control	Not available
Personal Protection	
Hand Protection	
Eye Protection	
Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

9. PHYSIKAL AND CHEMICAL PROPERTIES

Odour Ethereal Appearance	Solid
Colour	Sepia light and dark
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	dispersible
Viscosity	Not applicable
Water Solubility	dispersible

10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give of irritant / toxic fumes if involved in a fire. Primarily forms oxides of carbon during combustion.

11. TOXIOLOGICAL INFORMATION

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

Brevillier-Urban & Sachs GmbH CoKG

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Sepia Light and Dark Dry Leads 263 22 and 263 32

Date: 16.12.2014

Revision Date : 01.03.20

Seite 4 von 4

13. DISPOSAL CONSIDERATIONS

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

14. TRANSPORT INFORMATION

UN No:	
Proper Shipping Name:	
ADR, IATA, IMDG	Not classified as dangerous in the meaning of transport

15. REGULATORY INFORMATION

Hazard Symbol	None
-H-phrases	None
-P-Phrases	
P260	Do not breathe dust.

16. OTHER INFORMATIONS

Short cuts und Acronyms:

ATE = appraised value of the acute toxicity

CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures,

DNEL = Derived No Effect Level

EUH-Satz = CLP-spezifische warnings

PNEC = predicted no effect concentration

RRN = REACH Registrationnummer

n.a. not available

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation. The above information is provided in good faith and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.