Article Print o Versio	date	114XXX0 08.06.202 1.1	20 Revis	OW ODOUR T on date 05.08. date 15.07.201	2016	Pa	EN age 1 / 7
	SECTION	1: Identif	fication of the	substance/m	ixture and of t	he compan	ny/undertaking
1.1.	product ide	entifiers					
			urer/supplier): Ibstance or mixtu		114XXX024 114 LOW ODOU	R THINNER	
1.2.	Relevant ic	dentified u	ses of the subs	tance or mixtu	ure and uses ad	vised agains	st
	Artists supp Coatings ar	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: Artists supply and hobby preparations Coatings and paints, thinners, paint removers					
1.3.			er of the safety				
	Canson Au	stralia	rer/importer/dov				
	6/26-30 Fou Seven Hills	•			Telephone: 0288 Emergency telep		6
		-	r information:				0
4.4	E-mail			:	sales.au@canso	n.com	
1.4.							
	SECTION	2: Hazar	ds identificatio	n			
2.1.			substance or m				
			ding to Regulati				
				-	egulation (EC) No		
	Flam. Liq. 3 Asp. Tox. 1 Aquatic Chr	/ H304	Aspira	able liquids ion hazard lous to the aqu	atic environment	May b May c	mable liquid and vapour. be fatal if swallowed and enters airways. cause long lasting harmful effects to tic life.
2.2.	Label elem	ents					
	The produc	t is classifi	ed and labelled a	according to EC	C directives or co	responding i	national laws.
	Labelling a	according	to Regulation (I	EC) No. 1272/2	008 [CLP]		
	Hazard pic	tograms					
			Danger				
	Hazard sta	tements					
	H226		Flammable liqui				
	H304 H413		May be fatal if s May cause long		l effects to aquat	c life.	
	Precaution	arv staten		laeting name		0	
	P102		Keep out of the	reach of childre	en.		
	P103		Read label befo				1. (J
	P210 P233		Keep away from Keep container		aces, sparks, ope	in flames and	d other ignition sources. No smoking.
	P280				ive clothing/eye	protection/fac	ce protection.
	P301 + P31				call a POISON		
	P303 + P36 P331	51 + P353	IF ON SKIN (or Do NOT induce		immediately all c	ontaminated	clothing. Rinse skin with water/or shower.
	P370 + P37	78	In case of fire: L	•	inguish.		
	P405		Keep locked up		-		
	P501 Dispose of contents/container in accordance with local legislation.						
	contains:		Hydrocarbons (C11-C12. Isoal	kanes, <2% Aron	natics	
	Supplemer EUH066	ntal Hazar	d information (E	:U)	e skin dryness or		
23	Other haza	rde					

2.3. Other hazards

Article No.:	114XXX024	114 LOW ODOUR THINNER		
Print date	08.06.2020	Revision date 05.08.2016	EN	
Version	1.1	Issue date 15.07.2016	Page 2 / 7	

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Painting Medium for Oil-Colour

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification:	Remark
918-167-1	01-2119472146-39	
64741-65-7	Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics	50 - 100
	Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Aquatic Chronic 4 H413	

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. **Most important symptoms and effects, both acute and delayed** In all cases of doubt, or when symptoms persist, seek medical advice.

In all cases of doubt, of when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Vapours form explosive mixtures with air.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Cool closed containers that are near the source of the fire.

SECTION 6: Accidental release measures

Article No.:	114XXX024	114 LOW ODOUR THINNER	
Print date	08.06.2020	Revision date 05.08.2016	EN
Version	1.1	Issue date 15.07.2016	Page 3 / 7

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Vapours form explosive mixtures with air.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

INDEX No. not applicable / CAS No.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber) Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Article Print d Versio	ate	114XXX024 08.06.2020 1.1	114 LOW ODOUR THINNEF Revision date 05.08.2016 Issue date 15.07.2016	R	EN Page 4 / 7	
	manufactur glove article	er. Penetration tim es EN ISO 374	details for use, storage, ma e of glove material depending ting exposed skin areas. In no	g on intensity	and duration of exposure	
	Eye protection Wear closely fitting protective glasses in case of splashes.					
	Protective clothing Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.					
	Protective After contact		ghly with water and soap or us	e appropriate	cleanser.	
		ental exposure con w to enter into surfa	n trols ice water or drains. See chapte	er 7. No additio	onal measures necessary.	
	SECTION	9: Physical and	chemical properties			
	Information Appearance Physical st Colour Odour	e:	al and chemical properties Liquid Liquid refer to label characteristic			
	Safety rele	vant basis data		Unit	Method	Remark
	Lower exp Upper exp Vapour pre Density at Water solu pH at 20 °C Viscosity a Solvent se boiling poi	nperature in °C: losion limit losion limit essure at 20 °C:: 20 °C:: bility (g/L) C:: ti 20 °C: paration test (%) nt in °C at 101,3 k	35 0, 1,0 insolubl < <	0 g/cm³	DIN 53213	
9.2.	Other info	mation:				
	SECTION	10: Stability and	l reactivity			

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. Vapours form explosive mixtures with air.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics oral, LD50, Rat: > 5000 mg/kg

Article No.:	114XXX024	114 LOW ODOUR THINNER
Print date	08.06.2020	Revision date 05.08.2016
Version	1.1	Issue date 15.07.2016

EN Page 5 / 7

Method: OECD 401

dermal, LD50, Rabbit: > 5000 mg/kg

skin corrosion/irritation; Serious eye damage/eye irritation

Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics

Skin (4 h) Causes mild skin irritation. eyes: evaluation Not an irritant.

Respiratory or skin sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

May be fatal if swallowed and enters airways.

Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Toxicological data are not available.

Long-term Ecotoxicity

May cause long lasting harmful effects to aquatic life.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

Article Print d /ersio	late	114XXX024 08.06.2020 1.1	114 LOW ODOUR TH Revision date 05.08.2 Issue date 15.07.201	016	EN 6 / 7		
	140603*	other s	olvents and solvent mixt	ires			
	packaging Recomme Non-conta used pain	endation minated packages	may be recycled. Vesse	s not properly emptied are specia	al waste. Send to a collecting point fo		
	SECTION	l 14: Transport i	nformation				
14.1.	UN numbe	Pr	UN	993			
14.2.		shipping name sport (ADR/RID):		mable liquid, n.o.s. rocarbons, C11-C12, Isoalka nes	c 2% Aromatica		
	Sea transp	oort (IMDG):	FLA	MABLE LIQUID, N.O.S. rocarbons, C11-C12, Isoalka nes			
	Air transpo	ort (ICAO-TI / IATA-		mable liquid, n.o.s. rocarbons, C11-C12, Isoalka nes	s, <2% Aromatics)		
4.3.	Transport	hazard class(es)	3				
4.4.	Packing g	Jroup	III				
4.5.	Environm	ental hazards					
		sport (ADR/RID)		pplicable			
	Marine po	llutant recautions for use		pplicable			
	case of ar	always in closed, u i accident or leakag n safe handling: see	е.	s. Make sure that persons transp	orting the product know what to do in		
	Further in	formation					
	Land tran	sport (ADR/RID)					
	tunnel res	triction code	D/E				
	Sea trans	port (IMDG)					
	EmS-No.		F-E,	S-E			
4.7.	Transport not applica	-	to Annex II of Marpol	ind the IBC Code			
	SECTION	15: Regulatory	information				
5.1.	Safety, he EU legisla		ental regulations/legis	ation specific for the substanc	e or mixture		
	Information VOC-value)-2:	on of emissions of volatile orga 764 770	anic compounds (VOC-guideline).		
	National regulations						
	Restrictions of occupation Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).						
	Other reg	ulations, restrictio	ns and prohibition reg	llations			
5.2.		Safety Assessme		chemical safety assessment ha	as been carried out:		
	EC No.	Chemi	cal name		REACH No.		
	CAS No. 918-167-1 64741-65-	•	arbons, C11-C12, Isoalk	anes, <2% Aromatics	01-2119472146-39		

Article No.:	114XXX024	114 LOW ODOUR THINNER	
Print date	08.06.2020	Revision date 05.08.2016	EN
Version	1.1	Issue date 15.07.2016	Page 7 / 7

16. Other information

Full text of classification in section 3:

Flam. Liq. 3 / H226	Flammable liquids
Asp. Tox. 1 / H304	Aspiration hazard
Aquatic Chronic 4 / H413	Hazardous to the aquatic environment

Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.