| Safety data sheet in accorda | nce with regula | ation (EC) No 1907/2 | 006 | |
|--|-----------------|---|--|---|
| Trade name: Marabu-Aqua-Lir | oldruckfb. 093 | 250ml | | Marahu |
| | | Version: 9 / | | Date revised: 30.01.2020 |
| Substance number: 15101309 | 3 | Replaces Version: | 8 / WORLD | Print date: 30.01.20 |
| SECTION 1: Identifica | | substance/mi | xture and of | f the |
| 1.1. Product identifier Marabu-Aqua-Linoldru | ckfb. 093 250m | I | | |
| 1.2. Relevant identified u | ises of the s | substance or mix | ture and uses | advised against |
| Use of the substance/pr Paint Identified Uses SU21 PC9a | Consumer use | es: Private households paints, thinners, paint | | = consumers) |
| 1.3. Details of the suppli | er of the saf | etv data sheet | | |
| Address/Manufacture Marabu GmbH & Co. H Asperger Strasse 4 71732 Tamm Germany Telephone no. Fax no. Information provided by / telephone E-mail address of person responsible for this SDS | - | -0 -147 oduct safety | Importer - S&S Wholesale 18/10 Pioneer / Thornleigh NSV Tel: 1300 731 52 Emergency Cor S&S Wholesale Tel: 1300 731 52 | Avenue, W 2120 29 Fax: 1300 739 715 htact: Pty. Limited |
| 1.4. Emergency telepho (+49) (0)621-60-43333 | | | | |
| SECTION 2: Hazards | dentificati | on *** | | |
| 2.1. Classification of the Classification (Regula Classification (Regulat | tion (EC) No. | 1272/2008) | | |
| 2.2. Label elements | | | | |
| Labelling according | to regulatio | n (EC) No 1272/2 | 2008 | |
| Hazard pictograms *** | | | | |
| Signal word *** | | | | |
| Warning | | | | |
| Hazard statements *** | | | | |
| H317 | • | allergic skin reaction. | | |
| Precautionary stateme | | | | |
| P101 P102 | | ce is needed, have p ach of children. | roduct container o | r label at hand. |

| ade name: Marabu | Aqua-Linoldruckfb. 0 | 93 250ml | | | | |
|--|---|--|--|---------------------|--------------------------|-------------------------|
| | | Version: | 9/ | | | Date revised: 30.01.202 |
| ubstance number: | 51013093 | Replace | s Versio | n: 8/V | VORLD | Print date: 30.01. |
| P280 P302+P352 P333+P313 P501.9 | IF ON SKIN If skin irritat | ctive gloves / l: Wash with ion or rash o contents / co | plenty of ccurs: Ge | soap ar et medic | nd water. al advice / | |
| Hazardous co | mponent(s) to be i | ndicated or | n label (| Regula | tion (EC) | No. 1272/2008) |
| contains *** | 2-Methyl-2H | l-isothiazol-3 | -one; 1,2 | -Benzis | othiazol-3(2 | 2h)-one; Chlorocresol |
| | s zards have to be mer mposition/info | | on ing | redie | <u>nts ***</u> | |
| .2. Mixtures | | | | | | |
| Chemical char | ased on synthetic resi | ns and on wa | ater | | | |
| epsilon-Capro CAS No. EINECS no. Registration r Concentratior | 105-60-2 203-313-2 o. 01-2119457 | 7029-36 1 | < | 10 | % | |
| Classification | (Regulation (EC) No. Acute Tox. Acute Tox. Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | 4 | H332 H302 H319 H335 H315 | | | |
| Chlorocresol CAS No. EINECS no. Concentratior | 59-50-7 200-431-6 >= | 0,1 | < | 1 | % | |
| | | | | | ,0 | |
| Classification | (Regulation (EC) No. Acute Tox. 4 Eye Dam. 1 Skin Sens. Aquatic Acu Acute Tox. 4 | 4 1 te 1 | H302 H318 H317 H400 H312 | | | |
| 1,2-Benzisothi CAS No. EINECS no. Concentratior | 2634-33-5 220-120-9 | | < | 0,05 | % | |
| Classification | (Regulation (EC) No. Aquatic Acu Skin Sens. Acute Tox. Skin Irrit. 2 Eye Dam. 1 Acute Tox. Aquatic Chr | te 1 1 4 2 | H400 H317 H302 H315 H318 H330 H411 | | | |

| | -Linoldruckfb. 093 2 | | _ · | | | Marab |
|--|---|---|--|---|---|--|
| Substance number: 15101 | 2002 | Version: Replaces | | n 8/10 | | Date revised: 30.01.2020 Print date: 30.01.20 |
| | | • | | n. 07 vv | ONED | |
| Concentration limits | Skin Sens. 1 | No. 1272/2 H317 | |),05 | | |
| 2-Methyl-2H-isothiaz CAS No. | 2682-20-4 | | | | | |
| EINECS no. | 220-239-6 | | | | | |
| Concentration | >= (| 0,0015 | < | 0,01 | % | |
| Classification (Regu | Ilation (EC) No. 127 Acute Tox. 3 Acute Tox. 2 Skin Corr. 1B Eye Dam. 1 Aquatic Acute 1 Skin Sens. 1A Aquatic Chronic Acute Tox. 3 | 1 | H301 H330 H314 H318 H400 H317 H410 H311 | | | |
| Concentration limits | s (Regulation (EC) N Skin Sens. 1A Aquatic Acute 1 | H317 | >= 0 |),0015 10 | | |
| 4.1. Description of firs After skin contact | st aid measures | | | to or this | | |
| 4.1. Description of firs After skin contact Wash with plenty of After eye contact Separate eyelids, w After ingestion | at aid measures water and soap. D rash the eyes thoro | o NOT use | water (1 | 15 min.). | In case of | irritation consult an oculist. e event of symptoms take |
| 4.1. Description of firs After skin contact Wash with plenty of After eye contact Separate eyelids, w After ingestion Rinse mouth thorou medical treatment. | at aid measures water and soap. D ash the eyes thoroughly with water. If here | o NOT use ughly with arger amo | water (1 ounts are | 15 min.). swallow | In case of i | e event of symptoms take |
| 4.1. Description of first After skin contact Wash with plenty of After eye contact Separate eyelids, w After ingestion Rinse mouth thorou medical treatment. 4.2. Most important sy Until now no symptor | at aid measures water and soap. D ash the eyes thoroughly with water. If la mptoms and e oms known so far. immediate medician / treatment | o NOT use ughly with arger amo | water (1 unts are ooth ac | 15 min.). • swallow :ute an | In case of i ved or in the d delaye | e event of symptoms take d |
| 4.1. Description of first After skin contact Wash with plenty of After eye contact Separate eyelids, we After ingestion Rinse mouth thorour medical treatment. 4.2. Most important sy Until now no symptomatical Treat symptomatical Treat symptomatical Treat symptomatical Treat symptomatical Treat symptomatical SECTION 5: Firefighter State Section Se | at aid measures water and soap. D rash the eyes thoroughly with water. If la comptoms and e coms known so far. immediate med cian / treatment ally | o NOT use ughly with arger amo effects, b dical atte | water (1 unts are ooth ac | 15 min.). • swallow :ute an | In case of i ved or in the d delaye | e event of symptoms take d |
| 4.1. Description of first After skin contact Wash with plenty of After eye contact Separate eyelids, we After ingestion Rinse mouth thorour medical treatment. 4.2. Most important sy Until now no symptomatical Treat symptomatical Treat symptomatical Treat symptomatical Treat symptomatical Treat symptomatical SECTION 5: Firefighter State Stat | at aid measures water and soap. D rash the eyes thorou ghly with water. If la mptoms and e oms known so far. immediate med tian / treatment ating measur dia ing media | o NOT use ughly with arger amo effects, b dical atte | water (1 unts are ooth ac | 15 min.). • swallow :ute an | In case of i ved or in the d delaye | e event of symptoms take d |
| 4.1. Description of first After skin contact Wash with plenty of After eye contact Separate eyelids, w After ingestion Rinse mouth thorou medical treatment. 4.2. Most important sy Until now no sympto 4.3. Indication of any it Hints for the physic Treat symptomatica 5.1. Extinguishing me Suitable extinguish Carbon dioxide, Foa 5.2. Special hazards a | at aid measures water and soap. D rash the eyes thoroo ghly with water. If la mptoms and e oms known so far. immediate med cian / treatment an, Sand, Water rising from the | o NOT use ughly with arger amo offects, b dical atte | water (1 bunts are both ac ention | 15 min.). swallow cute an and sp | In case of i red or in the d delaye pecial trea | e event of symptoms take d |
| Wash with plenty of After eye contact Separate eyelids, w After ingestion Rinse mouth thorou medical treatment. 4.2. Most important sy Until now no sympto 4.3. Indication of any i Hints for the physic Treat symptomatica SECTION 5: Firefigh 5.1. Extinguishing me Suitable extinguish Carbon dioxide, Foa In the event of fire t | at aid measures water and soap. D rash the eyes thorood ghly with water. If la mptoms and e oms known so far. immediate med cian / treatment and treatment dia ing media am, Sand, Water rising from the he following can be aters | o NOT use ughly with arger amo effects, b dical atte Tes substat e released: | water (1 bunts are both ac ention | swallow cute an and sp | In case of i red or in the d delaye becial trea de (CO); Ca | e event of symptoms take d atment needed |

| Version: 9/ Date revised: 30.01.20 Substance number: 15101303 Replaces Version: 8 / WORLD Print date: 30.01.20 6.1. Personal precautions, protective equipment and emergency procedures No particular measures required. Reference; procedures 6.2. Environmental precautions, protective equipment and cleaning up Clean preferably with a detergent - avoid use of solvents. Clean preferably with a detergent - avoid use of solvents. 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents. Clean preferably with a detergent - avoid use of solvents. 6.4. Reference to other sections Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13. SECTION 7: Handling and storage Advice on safe handling Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class Tamperature class T2 7.1. Specific end use(s) Paint Section 8. Exposure controls/personal protection **** 8.1. Control parameters Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure Inplative Mode of action Local effects Cacaentration <th>Trade name: Marabu-Aqua-Linoldro</th> <th>uckfb, 093 250ml</th> <th>\mathbf{N}</th> | Trade name: Marabu-Aqua-Linoldro | uckfb, 093 250ml | \mathbf{N} |
|--|----------------------------------|---|------------------------------------|
| Substance number: 15 10 13033 Replaces Version: 8 / WORLD Print date: 30.01.21 6.1. Personal precautions, protective equipment and emergency procedures No particular measures required. 8.1 Environmental precautions 8.1. Personal preferably with a detergent - avoid use of solvents. 6.1 Reference to other sections Information regarding Safe handling. see Section 7. Information regarding waste disposal, see Section 13. SECTION 7: Handling and storage 7.1 Print date: solvents. 6.1 Advice on safe handling Advice on safe handling Advice on safe handling Advice on safe handling Movie skin and eye contact. Smoking, eating and drinking shall be prohibited in application area. Advice on safe handling No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class Temperature class T2 7.2. Conditions for safe storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint Paint Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Information Route of exposure Informatin the districe | Hade hame. Marabu Aqua Emolar | | Marabu Date revised: 30.01.2020 |
| | Substance number: 151013093 | | |
| No particular measures required. 6.2. Environmental precautions No particular measures required. 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents. 6.4. Reference to other sections Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13. 55. 55. 55. 55. 55. 55. 55. 55. 55. 5 | | · | |
| No particular measures required. 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents. 6.4. Reference to other sections Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Advice on safe handling Advice on safe handling Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL), Reference group Worker Duration of exposure Long termina inhelative Mode of action Local effects Concentration of Local effects | | | ency procedures |
| Clean preferably with a detergent - avoid use of solvents. 6.4. Reference to other sections Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Advice on safe handling Advice on safe handling Advice on safe handling Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class Tem | | | |
| Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Advice on safe handling Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area. Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure inhalative Mode of action Local effects Concentration 5 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Worker Noter Inhalative Node of action Local effects Concentration 10 mg/m³ | | • | |
| 7.1. Precautions for safe handling Advice on safe handling Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area. Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure Short term Ruet of exposure Short term Route of exposure 10 Mode of action Local effects Concentration 10 Reference group Consumer Note of exposure Inhalative Mode of action Local e | Information regarding Safe | handling, see Section 7. Information rega | |
| Advice on safe handling Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area. Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Boute of exposure inhalative Mode of action Local effects Concentration Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure Long term Route of exposure Short term Route of exposure Short term Route of exposure Short term Route of exposure Short term Route of exposure Long term Route of exposure Route Long term Route of exposure Long term Route of exposure | SECTION 7: Handling an | d storage | |
| Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area. Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure inhalative Mode of action Local effects Concentration 5 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure inhalative Mode of action Local effects Concentration 10 mg/m ³ | 7.1. Precautions for safe ha | ndling | |
| Advice on protection against fire and explosion No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure inhalative Mode of action Local effects Concentration 5 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposur | - | | |
| No special measures required. Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure inhalative Mode of action Local effects Concentration 5 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure inhalative Mode of action Local effects Concentration 10 mg/m ³ | • | | ohibited in application area. |
| Classification of fires / temperature class / Ignition group / Dust explosion class Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Local effects Concentration 5 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Worker Mode of action Duration of exposure Inhalative Mode of action Local effects Concentration 5 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Worker Mode of action Duration of exposure Inhalative Mode of action Conc | | - | |
| Temperature class T2 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure Inhalative Mode of action Local effects Concentration 5 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure Inhalative Mode of action Local effects Concentration 10 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Route of exposure Long term Route of exposure | | | |
| Requirements for storage rooms and vessels Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Puration of exposure Long term Route of exposure Long term Route of exposure Long term Route of exposure Inhalative Mode of action Local effects Concentration 5 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Worker Mode of action Local effects Concentration 5 Concentration 10 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Korker mg/m³ Duration of exposure inhalative Mode of action Local effects Concentration 10 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Consumer | | | ust explosion class |
| Store in frostfree conditions. 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure Local effects Concentration 5 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure inhalative Mode of action Local effects Concentration 5 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 mg/m ³ | 7.2. Conditions for safe stor | age, including any incompatibili | ties |
| 7.3. Specific end use(s) Paint SECTION 8: Exposure controls/personal protection *** 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure Derived No Effect Level (DNEL) Reference group Worker Type of value Derived No Effect Level (DNEL) Reference group Worker Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure Inhalative Mode of action Local effects Concentration 10 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Inhalative Mode of action Local effects Concentration 10 mg/m ³ | | | |
| Paint SECTION 8: Exposure controls/personal protection **** S. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Local effects Concentration 5 Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure Short term Route of exposure Short term Route of exposure Inhalative Mode of action Local effects Concentration 10 mode of action Local effects Concentration 10 Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Route of exposure Inhalative Mode of a | | i. | |
| 8.1. Control parameters Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure inhalative Mode of action Local effects Concentration 5 mg/m ³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 mg/m ³ | • • • • • • • | | |
| Derived No/Minimal Effect Levels (DNEL/DMEL) epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure inhalative Mode of action Local effects Concentration 5 Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 5 main of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Reference group Consumer Duration of exposure Long term Route of exposure Long term Route of exposure Long term Route of exposure inhalative | SECTION 8: Exposure co | ontrols/personal protection ' | *** |
| epsilon-Caprolactam Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Long term Route of exposure inhalative Mode of action Local effects Concentration 5 mode of exposure Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 5 mg/m³ Type of value Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Route of exposure Long term Route of exposure inhalative Mode of action Local effects Mode of action Local effects | 8.1. Control parameters | | |
| Type of valueDerived No Effect Level (DNEL)Reference groupWorkerDuration of exposureLong termRoute of exposureinhalativeMode of actionLocal effectsConcentration5Type of valueDerived No Effect Level (DNEL)Reference groupWorkerDuration of exposureShort termRoute of exposureShort termRoute of exposureinhalativeMode of actionLocal effectsConcentration10Type of valueDerived No Effect Level (DNEL)Reference groupWorkerDuration of exposureinhalativeMode of actionLocal effectsConcentration10Type of valueDerived No Effect Level (DNEL)Reference groupConsumerDuration of exposureLong termRoute of exposureLong termRoute of exposureinhalativeMode of actionLocal effectsConsumerMode of actionDuration of exposureLong termRoute of exposureinhalativeMode of actionLocal effects | Derived No/Minimal Effect | Levels (DNEL/DMEL) | |
| Reference group Worker Duration of exposure Long term Route of exposure inhalative Mode of action Local effects Concentration 5 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure Short term Route of exposure Local effects Concentration 10 mode of action Local effects Concentration 10 mg/m³ Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Puration of exposure Long term Reference group Consumer Duration of exposure Long term Route of exposure Long term Route of exposure Long term Route of exposure Local effects Mode of action Local effects | | | |
| Duration of exposure Route of exposure Mode of action ConcentrationLong term inhalative Local effects 5mg/m3Type of value Reference group Duration of exposure Route of exposure Node of action Short term Route of exposure ConcentrationDerived No Effect Level (DNEL) Neffect Level (DNEL) Nefference group Norker Node of action 10mg/m3Type of value Route of exposure Route of exposure Node of action ConcentrationDerived No Effect Level (DNEL) mg/m3mg/m3Type of value Reference group Duration of exposure Consumer Duration of exposure Long term Route of exposure Long term Route of exposure Node of action Local effects Long term Route of exposure Long term Route of exposure Long term Route of exposure Long term Route of exposure Local effects Local effects Local effects Local effectsMode of action Local effects Long term Local effectsType of value Route of exposure Route of exposure Route of exposure Long term Route of exposure Local effectsLocal effects Local effects | | | |
| Route of exposure Mode of action Concentrationinhalative Local effects Derived No Effect Level (DNEL)Type of value Reference group Duration of exposure Route of exposureDerived No Effect Level (DNEL)Reference group Node of action ConcentrationWorker Short term inhalative 10Mode of action ConcentrationLocal effects Toymed No Effect Level (DNEL)Type of value Reference group Duration of exposure ConcentrationDerived No Effect Level (DNEL) Mode of action Local effects Consumer Long term Route of exposure Node of action Local effects | | | |
| Mode of action ConcentrationLocal effects 5mg/m³Type of value Reference groupDerived No Effect Level (DNEL) Worker Duration of exposureKeference group Short term inhalative 10Mode of action Route of exposureLocal effects Concentrationmg/m³Type of value Reference group Consumer Duration of exposure Consumer Duration of exposure Long term Route of exposureDerived No Effect Level (DNEL) mg/m³Reference group Duration of exposure Mode of actionDerived No Effect Level (DNEL) Consumer Long term Route of exposure Long term Route of exposure Mode of actionLocal effects Long term Local effects | | • | |
| Type of value Derived No Effect Level (DNEL) Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Route of exposure inhalative Mode of action Long term Route of exposure Long term Route of exposure Long term Mode of action Local effects | Mode of action | | |
| Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Route of exposure inhalative Mode of action Long term Route of exposure inhalative Mode of action Local effects | Concentration | 5 | mg/m³ |
| Reference group Worker Duration of exposure Short term Route of exposure inhalative Mode of action Local effects Concentration 10 Type of value Derived No Effect Level (DNEL) Reference group Consumer Duration of exposure Long term Route of exposure inhalative Mode of action Long term Route of exposure inhalative Mode of action Local effects | Type of value | Derived No Effect Level (DNEL) | |
| Route of exposure Mode of action Concentrationinhalative Local effects 10mg/m3Type of value Reference group Duration of exposure Route of exposure Mode of actionDerived No Effect Level (DNEL) Consumer Long term inhalative Local effectsRoute of exposure Mode of actionLocal effects Local effects | | · · · · · · · · · · · · · · · · · · · | |
| Mode of action ConcentrationLocal effects 10mg/m³Type of valueDerived No Effect Level (DNEL)Reference groupConsumerDuration of exposureLong termRoute of exposureinhalativeMode of actionLocal effects | | | |
| Concentration10mg/m³Type of valueDerived No Effect Level (DNEL)Reference groupConsumerDuration of exposureLong termRoute of exposureinhalativeMode of actionLocal effects | | | |
| Reference groupConsumerDuration of exposureLong termRoute of exposureinhalativeMode of actionLocal effects | | | mg/m³ |
| Reference groupConsumerDuration of exposureLong termRoute of exposureinhalativeMode of actionLocal effects | | Derived No Effect Level (DNEL) | |
| Duration of exposureLong termRoute of exposureinhalativeMode of actionLocal effects | | · · · · · · · · · · · · · · · · · · · | |
| Route of exposureinhalativeMode of actionLocal effects | | | |
| | Route of exposure | inhalative | |
| Concentration OE $m \pi/m^3$ | Mode of action Concentration | Local effects 2,5 | mg/m³ |

| rade name: Marabu-Aqua-Linoldru | ıckfb. 093 250ml | |
|---------------------------------|--------------------------------|-------------------------|
| | Version: 9 / | Date revised: 30.01.202 |
| Substance number: 151013093 | Replaces Version: 8 / WORLD | Print date: 30.01.2 |
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Short term | |
| Route of exposure | inhalative | |
| Mode of action | Local effects | |
| Concentration | 5 | mg/m³ |
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | oral | |
| Mode of action | Systemic effects | |
| Concentration | 8,55 | mg/kg/d |
| Predicted No Effect Conce | entration (PNEC) | |
| epsilon-Caprolactam | | |
| Type of value | PNEC | |
| Туре | Freshwater | |
| Concentration | 2 | mg/l |
| Type of value | PNEC | |
| Туре | Saltwater | |
| Concentration | 0,2 | mg/l |
| Type of value | PNEC | |
| Туре | Water (intermittent release) | |
| Concentration | 1 | mg/l |
| Type of value | PNEC | |
| Туре | Sewage treatment plant (STP) | |
| Concentration | 1737 | mg/l |
| Type of value | PNEC | |
| Type | Freshwater sediment | |
| Concentration | 18,7 | mg/kg |
| Type of value | PNEC | |
| Туре | Soil | |
| Concentration | 2,55 | mg/kg |
| 2 Expective controls | | |
| 3.2. Exposure controls | | |
| Exposure controls | | |
| Provide adequate ventilation | ٦. | |
| ECTION 9: Physical and | I chemical properties | |
| | | |
| | ysical and chemical properties | |
| Form | Pasty | |
| Colour | coloured | |
| Odour | odourless | |
| Odour threshold | | |
| Remarks | No data available | |
| pH value | | |

| Safety data sheet in accordance with Trade name: Marabu-Aqua-Linoldruckfl | o. 093 2 | 50ml | | 000 | | Dete novie e de | Marabu |
|--|------------------|--------------------------|----------|----------|--------------|---------------------------|-----------------------------|
| Substance number: 151013093 | | Version: 9 Replaces V | | 8 / WORI | LD | Date revised: Print da | 30.01.2020 ite: 30.01.20 |
| Value Temperature Method | WTW | 8 20 PH 340 | to °C | 10 | | | |
| Melting point Remarks | not de | termined | | | | | |
| Freezing point Remarks | not de | termined | | | | | |
| Initial boiling point and boilin | | | | | | | |
| Value Pressure | appr. | 100 1.013 | hPa | | °C | | |
| Source | Literat | ure value | | | | | |
| Flash point Remarks | Not an | plicable | | | | | |
| Evaporation rate (ether = 1) : | Νοι αρ | plicable | | | | | |
| Remarks | not de | termined | | | | | |
| Flammability (solid, gas) Not applicable | | | | | | | |
| Upper/lower flammability or e | xplosiv | /e limits | | | | | |
| Lower explosion limit Upper explosion limit Source | appr. appr. | 2,6 12,5 ure value | | | %(V) %(V) | | |
| Vapour pressure | | | | | | | |
| Value Temperature Method | appr. | 23 20 taken from | °C | | hPa | | |
| Vapour density | value | laken nom | | lure | | | |
| Remarks | not de | termined | | | | | |
| Density | | | | | | | |
| Value Temperature Method | | 1,530 20 | °C | | g/cm³ | | |
| Solubility in water | | N ISO 2811 | | | | | |
| Remarks | miscib | le | | | | | |
| Ignition temperature | | | | | | | |
| Value Source | appr. Literat | 371 ure value | | | °C | | |
| Viscosity Value Temperature | | 38000 20 | to °C | 58000 | mPa.s | | |
| Method | Brookf | | C | | | | |
| SECTION 10: Stability and r | eactiv | vity | | | | | |
| 10.1. Reactivity None | | | | | | | |
| 10.2. Chemical stability No hazardous reactions known. | | | | | | | |
| 10.3. Possibility of hazardous r No hazardous reactions known. | eactio | ns | | | | | |

| Frade name: Marabu-Aqua-Linold | ruckfb. 093 | 3 250ml | | |
|---|--------------|---|---------------------------|--------------------------|
| | | Version: 9 / | | Date revised: 30.01.2020 |
| Substance number: 151013093 | | Replaces Version: | 8 / WORLD | Print date: 30.01.20 |
| 10.4. Conditions to avoid No hazardous reactions kr | iown. | | | |
| 10.5. Incompatible material None | s | | | |
| 10.6. Hazardous decompos No hazardous decomposit | | | | |
| SECTION 11: Toxicologi | cal info | ormation | | |
| 11.1. Information on toxico | logical e | ffects | | |
| Acute oral toxicity | | 2.000 | h | |
| ATE Method | > calcula | ted value (Regulation | mg/kg (EC) No. 1272/20 | 008) |
| Acute oral toxicity (Comp | onents) | | | |
| 1,2-Benzisothiazol-3(2h)-o | ne | | | |
| Species LD50 | rat | 1193 | mg/kg | |
| Acute dermal toxicity | | | 0.0 | |
| Remarks | Based | on available data, the | classification crite | eria are not met. |
| Acute dermal toxicity (Co | | | | |
| 1,2-Benzisothiazol-3(2h)-o | - | , | | |
| Species LD50 | rat | 4115 | mg/kg | |
| Acute inhalational toxicit | v | | 5 5 | |
| ATE | > | 5 | mg/l | |
| Administration/Form Method | | ted value (Regulation | (EC) No. 1272/20 | |
| Remarks | Based | on available data, the | classification crite | eria are not met. |
| Skin corrosion/irritation Remarks | Pagad | an available data tha | aloggification grite | ria ara nat mat |
| | | on available data, the | Classification crite | ena are not met. |
| Serious eye damage/irrita Remarks | | on available data, the | classification crite | aria are not met |
| Sensitization | Dased | | Sasonication onle | |
| evaluation Remarks | | use sensitization by s assification criteria are | | |
| | The cla | assincation chiena are | met. | |
| Mutagenicity Remarks | Raead | on available data, the | classification crite | eria are not met |
| Reproductive toxicity | Dased | | Gassingation cille | זהם מוש ווטו ווושנ. |
| Remarks | Based | on available data, the | classification crite | eria are not met |
| Carcinogenicity | | | | |
| Remarks | | on available data, the | classification crite | eria are not met. |
| Specific Target Organ To | xicity (ST | 01) | | |
| Single exposure Remarks | Based | on available data, the | classification crite | eria are not met. |
| Repeated exposure | | | | |

| Safety data sheet in accordance with regulation (EC) No 1907/2006 | | | | | | | |
|--|---|---|--|--|--|--|--|
| Frade name: Marabu-Aqua-Linoldru | uckfb. 093 250ml | March | | | | | |
| | Version: 9 / | Date revised: 30.01.2020 | | | | | |
| Substance number: 151013093 | Replaces Version: 8 / WORLD | Print date: 30.01.20 | | | | | |
| Based on available data, the | e classification criteria are not met. | | | | | | |
| Experience in practice | | | | | | | |
| Solvents may cause some of contact with the mixture may dermatitis and absorption th the eyes may cause irritation vomiting. This takes into acc | weakness, drowsiness and in extreme cases, of the above effects by absorption through the y cause removal of natural fat from the skin res prough the skin. May cause an allergic skin reac n and reversible damage. Ingestion may cause count, where known, delayed and immediate e erm and long-term exposure by oral, inhalation | skin. Repeated or prolonged sulting in non-allergic contact ction. The liquid splashed in e nausea, diarrhoea and ffects and also chronic effects | | | | | |
| Other information | | | | | | | |
| | on the mixture itself. ssed following the additivity method of the CLP r toxicological hazards accordingly. | Regulation (EC) No | | | | | |
| SECTION 12: Ecological | information | | | | | | |
| 12.1. Toxicity | | | | | | | |
| General information | | | | | | | |
| | on the mixture itself.Do not allow to enter drain following the summation method of the CLP R gerous for the environment. | | | | | | |
| Fish toxicity (Components | 3) | | | | | | |
| 1,2-Benzisothiazol-3(2h)-on | | | | | | | |
| Species LC50 | rainbow trout (Oncorhynchus mykiss) 2,18 mg/l | | | | | | |
| Duration of our cours | 00 h | | | | | | |

| LC50 Duration of exposure | 2,18 96 | h | mg/l |
|------------------------------|-----------------------|----------------|------|
| Duration of exposure | | n | |
| Daphnia toxicity (Compor | ients) | | |
| 1,2-Benzisothiazol-3(2h)-on | e | | |
| Species | Daphnia magna | | |
| EC50 | 2,94 | | mg/l |
| Duration of exposure | 48 | h | |
| Algae toxicity (Componen | its) | | |
| 1,2-Benzisothiazol-3(2h)-on | e | | |
| Species | Pseudokirchneriel | la subcapitata | |
| ErC50 | 0,11 | | mg/l |
| Duration of exposure | 72 | h | |
| 12.2. Persistence and degra | dability | | |
| General information | | | |
| There are no data available | on the mixture itself | • | |
| 12.3. Bioaccumulative poter | ntial | | |
| General information | | | |
| There are no data available | on the mixture iteelf | 1 | |
| | | | |
| 40.4 Malellin hashi | | | |

12.4. Mobility in soil

General information

There are no data available on the mixture itself.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-Aqua-Linoldruckfb. 093 250ml

Substance number: 151013093

Replaces Version: 8 / WORLD

Version: 9/

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste. Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

| | Land transport ADR/RID | Marine transport IMDG/GGVSee | Air transport ICAO/IATA |
|----------------------------------|---|--|--|
| 14.1. UN number | The product does not constitute a hazardous substance in land transport | The product does not constitute a hazardous substance in sea transport | The product does not constitute a hazardous substance in air transport |
| 14.2. UN proper shipping name | - | - | - |
| 14.3. Transport hazard class(es) | - | - | - |
| Subsidiary risk | | - | - |
| Label | | | |
| 14.4. Packing group | - | - | - |
| Transport category | 0 | | |
| 14.5. Environmental hazards | | no | |
| | - | | - |

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:


Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no



| rade name: Marabu-Aqua-Lin | ldruckfb. 093 250ml | | |
|---|---|----------------------|-------------------------|
| | Version: 9 / | | Date revised: 30.01.202 |
| Substance number: 15101309 | Replaces Version: | 8 / WORLD | Print date: 30.01.2 |
| ECTION 15: Regulate | rv information | | |
| | nvironmental regulations/le | gislation spe | cific for the substance |
| Other information The product does not c | ntain substances of very high conce | ern (SVHC). | |
| 15.2. Chemical safety as For this preparation a c | essment emical safety assessment has not b | been carried out. | |
| ECTION 16: Other in | ormation | | |
| Hazard statements list | d in Chapter 3 | | |
| H301 | Toxic if swallowed. | | |
| H302 | Harmful if swallowed. | | |
| H311 H312 | Toxic in contact with skin. Harmful in contact with skin. | | |
| H314 | Causes severe skin burns and | anemeh ava h | |
| H315 | Causes severe skin burns and Causes skin irritation. | a eye damaye. | |
| H317 | May cause an allergic skin rea | action. | |
| H318 | Causes serious eye damage. | | |
| H319 | Causes serious eye irritation. | | |
| H330 | Fatal if inhaled. | | |
| H332 | Harmful if inhaled. | | |
| H335 | May cause respiratory irritatio | n. | |
| H400 | Very toxic to aquatic life. | | |
| H410 | Very toxic to aquatic life with I | ong lasting effec | its. |
| H411 | Toxic to aquatic life with long | lasting effects. | |
| CLP categories listed i | n Chapter 3 | | |
| Acute Tox. 2 | Acute toxicity, Category 2 | | |
| Acute Tox. 3 | Acute toxicity, Category 3 | | |
| Acute Tox. 4 | Acute toxicity, Category 4 | | |
| Aquatic Acute 1 | Hazardous to the aquatic envi | ironment acute | Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic envi | | |
| Aquatic Chronic 2 | Hazardous to the aquatic envi | | |
| Eye Dam. 1 | Serious eye damage, Categor | | -, |
| Eye Irrit. 2 | Eye irritation, Category 2 | | |
| Skin Corr. 1B | Skin corrosion, Category 1B | | |
| Skin Irrit. 2 | Skin irritation, Category 2 | | |
| Skin Sens. 1 | Skin sensitization, Category 1 | | |
| Skin Sens. 1A | Skin sensitization, Category 1 | A | |
| STOT SE 3 | Specific target organ toxicity - | single exposure | e, Category 3 |
| Supplemental information | on | | |
| | ared with the previous version of the | | |
| This information is base | d on our present state of knowledge | e. However, it sho | ould not constitute a |
| | ic product properties and shall not ε afety Data Sheet is based on the pr | | |
| It provides guidance on construed as any guara | nealth, safety and environmental as ntee of technical performance or sui | tability for particu | ular applications. |
| to the supplier and obta | be used for purposes other than tho ning written handling instructions. s of use of the product are outside t | | - |
| for ensuring that the red | uirements of relevant legislation are ad in this safety data sheet does not | complied with. | |

| Safety data sheet in accordance with regulation (EC) No 1907/2006 | | | | | | | | |
|---|-----------------------------|-----------------------|-----------|---------------|---------------|--|--|--|
| Trade name: Marabu-Aqua-Linoldruckfb. 093 250ml | | | | | | | | |
| | | Version: 9 / | | Date revised: | 30.01.2020 | | | |
| Substance number: | 151013093 | Replaces Version: | 8 / WORLD | Print da | ate: 30.01.20 | | | |
| workplace ri | sks, as required by other h | ealth and safety legi | slation. | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |