



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Porcelain&GlasPainterSor.Basic 153

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Paint

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

Marabu GmbH & Co. KG  
 Asperger Strasse 4  
 71732 Tamm  
 Germany  
 Telephone no. +49-7141/691-0  
 Fax no. +49-7141/691-147  
 Information provided by / telephone Department product safety  
 E-mail address of person responsible PRSI@marabu.com  
 for this SDS

Importer - S&S Wholesale Pty. Limited 18/10 Pioneer Avenue, Thornleigh NSW 2120 Tel: 1300 731 529 Fax: 1300 739 715 Emergency Contact: S&S Wholesale Pty. Limited Tel: 1300 731 529 Fax: 1300 739 715	
--	--

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### **2.2. Label elements**

#### **Labelling according to regulation (EC) No 1272/2008**

EUH208 Contains 2-Methyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2h)-one, May produce an allergic reaction.

#### **Supplemental information**

EUH205 Contains epoxy constituents. May produce an allergic reaction.

### **2.3. Other hazards**

No special hazards have to be mentioned.

## **SECTION 3: Composition/information on ingredients \*\*\***

### **3.2. Mixtures**

#### **Chemical characterization**

Paint based on acrylic resins and on water

#### **Hazardous ingredients \*\*\***

##### **1,2-Benzisothiazol-3(2h)-one**

CAS No. 2634-33-5

EINECS no. 220-120-9

Concentration < 0,05 %

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

Classification (Regulation (EC) No. 1272/2008)

Aquatic Acute 1	H400
Skin Sens. 1	H317
Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318
Acute Tox. 2	H330
Aquatic Chronic 2	H411

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1	H317	>= 0,05
--------------	------	---------

**Pyridin-2-thiol-1-oxide, sodium salt**

CAS No. 3811-73-2

EINECS no. 223-296-5

Concentration	>=	0,001	<	0,1	%
---------------	----	-------	---	-----	---

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1	H318
Acute Tox. 4	H302
Acute Tox. 4	H332
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1	H400	M = 100
-----------------	------	---------

**Bronopol (INN)**

CAS No. 52-51-7

EINECS no. 200-143-0

Registration no. 01-2119980938-15

Concentration	>=	0,01	<	0,1	%
---------------	----	------	---	-----	---

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1	H318
Skin Irrit. 2	H315
STOT SE 3	H335
Acute Tox. 4	H302
Acute Tox. 4	H312
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1	H400	M = 10
Aquatic Chronic 1	H410	M = 1

**2-Methyl-2H-isothiazol-3-one**

CAS No. 2682-20-4

EINECS no. 220-239-6

Concentration	<	0,0015	%
---------------	---	--------	---

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3	H301
Acute Tox. 2	H330
Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Skin Sens. 1A	H317
Aquatic Chronic 1	H410



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

Acute Tox. 3 H311

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317 >= 0,0015

Aquatic Acute 1 H400 M = 10

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **After skin contact**

Wash with plenty of water and soap. Do NOT use solvents or thinners.

#### **After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

#### **After ingestion**

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

### **4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

### **4.3. Indication of any immediate medical attention and special treatment needed**

#### **Hints for the physician / treatment**

Treat symptomatically

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Carbon dioxide, Foam, Sand, Water

### **5.2. Special hazards arising from the substance or mixture**

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>); dense black smoke

### **5.3. Advice for firefighters**

#### **Other information**

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

No particular measures required.

### **6.2. Environmental precautions**

No particular measures required.

### **6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent - avoid use of solvents.

### **6.4. Reference to other sections**

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

**Advice on safe handling**

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

**Advice on protection against fire and explosion**

No special measures required.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Store in frostfree conditions.

**7.3. Specific end use(s)**

Paint

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Other information**

There are not known any further control parameters.

**Derived No/Minimal Effect Levels (DNEL/DMEL)**

**Bronopol (INN)**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,1	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	12,3	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
---------------	--------------------------------	--

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	7	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm <sup>2</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm <sup>2</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,2	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,7	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,4	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	8	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	8	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,35	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	1,1	mg/kg/d

**Predicted No Effect Concentration (PNEC)**

**Bronopol (INN)**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,001	mg/l
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,003	mg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	0,43	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,041	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,003	mg/kg



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

Type of value	PNEC		
Type	Soil		
Concentration	0,5		mg/kg

**8.2. Exposure controls**

**Exposure controls**

Provide adequate ventilation.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Form</b>	liquid		
<b>Colour</b>	coloured		
<b>Odour</b>	odourless		
<b>Odour threshold</b>			
Remarks	No data available		
<b>pH value</b>			
Value	8	to	9
Temperature	20	°C	
Method	WTW PH 340		
<b>Melting point</b>			
Remarks	not determined		
<b>Freezing point</b>			
Remarks	not determined		
<b>Initial boiling point and boiling range</b>			
Value	appr. 100		°C
Pressure	1.013	hPa	
Source	Literature value		
<b>Flash point</b>			
Remarks	Not applicable		
<b>Evaporation rate (ether = 1) :</b>			
Remarks	not determined		
<b>Flammability (solid, gas)</b>			
Remarks	Not applicable		
<b>Upper/lower flammability or explosive limits</b>			
Remarks	not determined		
<b>Vapour pressure</b>			
Value	appr. 23		hPa
Temperature	20	°C	
Method	Value taken from the literature		
<b>Vapour density</b>			
Remarks	not determined		
<b>Density</b>			
Value	1,04		g/cm <sup>3</sup>
Temperature	20	°C	
Method	DIN EN ISO 2811		
<b>Solubility in water</b>			
Remarks	miscible		



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

**Ignition temperature**

Remarks not determined

**Viscosity**

Remarks  
Remarks not determined

**9.2. Other information**

**Other information**

None known

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

None

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)**

**1,2-Benzisothiazol-3(2h)-one**

Species	rat		
LD50		1193	mg/kg

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)**

**1,2-Benzisothiazol-3(2h)-one**

Species	rat		
LD50		4115	mg/kg

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.





Trade name: Porcelain&amp;GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Experience in practice**

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

**Other information**

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

**Fish toxicity (Components)****1,2-Benzisothiazol-3(2h)-one**

Species	rainbow trout (Oncorhynchus mykiss)		
LC50	2,18		mg/l
Duration of exposure	96	h	

**Bronopol (INN)**

Species	rainbow trout (Oncorhynchus mykiss)		
LC50	3		mg/l
Duration of exposure	96	h	
Method	OECD 203		

**Bronopol (INN)**

Species	rainbow trout (Oncorhynchus mykiss)		
NOEC	2,61		mg/l
Duration of exposure	28	d	
Method	OECD 203		

**Daphnia toxicity (Components)****1,2-Benzisothiazol-3(2h)-one**

Species	Daphnia magna		
EC50	2,94		mg/l
Duration of exposure	48	h	

**Bronopol (INN)**

Species	Daphnia magna		
---------	---------------	--	--



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

EC50	1,04		mg/l
Duration of exposure	48	h	
Method	OECD 202		

**Bronopol (INN)**

Species	Daphnia magna		
NOEC	0,06		mg/l
Duration of exposure	21	d	
Method	OECD 211		

**Algae toxicity (Components)**

**1,2-Benzisothiazol-3(2h)-one**

Species	Pseudokirchneriella subcapitata		
ErC50	0,11		mg/l
Duration of exposure	72	h	

**Bronopol (INN)**

Species	Pseudokirchneriella subcapitata		
EC50	0,068		mg/l
Duration of exposure	72	h	
Method	OECD 201		

**Bronopol (INN)**

Species	Pseudokirchneriella subcapitata		
NOEC	0,0025		mg/l
Duration of exposure	72	h	
Method	OECD 201		

**12.2. Persistence and degradability**

**General information**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

**General information**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

**General information**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

**General information**

There are no data available on the mixture itself.

**12.6. Other adverse effects**

**General information**

There are no data available on the mixture itself.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations for the product**

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off as product waste. Completely emptied packagings can be given for recycling.



Trade name: Porcelain&amp;GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport.-	The product does not constitute a hazardous substance in sea transport.-	The product does not constitute a hazardous substance in air transport.-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards	-	no	-

### Information for all modes of transport

#### 14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Other information

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other information

All components are contained in the IECSC inventory.

All components are contained in the ECL inventory.

All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.



Trade name: Porcelain&GlasPainterSor.Basic 153

Version: 6 /

Date revised: 08.01.2020

Substance number: 012300080-153

Replaces Version: 5 / WORLD

Print date: 10.01.20

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**CLP categories listed in Chapter 3**

Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.  
 The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.  
 The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.