PRN High fire grogged Black

Rev. 6 Date: 15/01/20 Page: 1 de 7

Importer -



1. Identification of the substance / mixture and of the company:

1.1. Product identifier

Mixture identification: Trade name:

PRNI, PRNF, PRNM, PRNG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ceramic clay or natural modelling clay. Designed for artistic ceramics.

1.3. Details of the supplier of the safety data sheet

CERÁMICA COLLET S.A. Pol. Ind. L'Olana s/n E-08292 Esparreguera (Barcelona) – SPAIN Tel. +34 93 777 23 44 Fax +34 93 770 94 11 Web: <u>www.sio-2.com</u>

Competent person responsible for the safety data sheet: $\underline{msds@sio-2.com}$

1.4. Emergency telephone number

Tel: 1300 731 529 Fax: 1300 739 715 Emergency Contact: S&S Wholesale Pty. Limited Tel: 1300 731 529 Fax: 1300 739 715

S&S Wholesale Pty. Limited

18/10 Pioneer Avenue,

Thornleigh NSW 2120

CERÁMICA COLLET S.A. Telf: +34 937772344 (08:30-13:00; 14:30-18:00; GMT +01:00)

2. Hazards Identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Symbols: None

Hazard statements: None

Precautionary statements: None

Special Provisions: None

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

3. Composition / Information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

CERAMICA COLLET S.A.

SAFETY DATA SHEET

PRN High fire grogged Black

Page: 2 de 7

Rev. 6

Date: 15/01/20



Name	CE / EINECS	CAS	Concentration	Classification
Quartz	238-455-4	14808-60-7	< 20 % (*)	Subst. with occupational exposure limit
Cristobalite	238-878-4	14464-46-1	< 5 % (*)	Subst. with occupational exposure limit
Manganese dioxide (Index nº: 025-001-00-3)	215-202-6	1313-13-9	< 5 %	3.1/4/Oral Acute Tox. 4 H302 3.1/4/Inhal Acute Tox. 4 H332

(*) The respirable crystalline silica is less than 1%.

4. First aid mesures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment.

Generic: In case of doubt or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

5. Fire-fighting measures

This product is not inflammable.

5.1. Extinguishing media

Suitable extinguishing media: Water. Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

N.A.

6.2. Environmental precautions

N.A.

6.3. Methods and material for containment and cleaning up Wash with plenty of water.

6.4. Reference to other sections

PRN High fire grogged Black

Rev. 6 Date: 15/01/20 Page: 3 de 7



See also section 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Do not eat or drink while working. See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of frost (keep at temperature >0°C).

Incompatible materials: None in particular.

Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

8. Exposure controls / personal protection

8.1. Parámetros de control

Name	EINECS	Nº CAS	VLA-EC ¹		VLA-ED ²	
Name			ppm	mg./m ³	ppm	mg./m ³
Crystalline silica: respirable Quartz	238-878-4	14808-60-7	-	-	-	0.05
Crystalline silica: respirable Cristobalite	238-455-4	14464-46-1	-	-	-	0.05
Manganese Dioxide (Index nº: 025-001-00-3)	215-202-6	1313-13-9	-	-	-	0.5

¹ Exposure: 15 min. ² Exposure: 8 h.

DNEL Exposure Limit Values N.A. PNEC Exposure Limit Values N.A.

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices. In case of exposure to dust-state material (powder): protection glasses

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection: Not needed for normal use. In case of exposure to dust-state material (powder): filter P2

Thermal Hazards:

None

Environmental exposure controls: None

Appropriate engineering controls:

None



PRN High fire grogged Black

Rev. 6 Date: 15/01/20 Page: 4 de 7



9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour:	Brown plastic clay
Odour:	N.A.
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Flash point:	N.A.
Evaporation rate:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour pressure:	N.A.
Vapour density:	N.A.
Relative density:	2 g/cm ³
Solubility in water:	Insoluble
Solubility in oil:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.

9.2. Other information

Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

10. Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

11. Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture: N.A.

Toxicological information of the main substances found in the mixture: N.A.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

CERAMICA COLLET S.A.

SAFETY DATA SHEET

PRN High fire grogged Black

Rev. 6 Date: 15/01/20 Page: 5 de 7



a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;i) STOT-repeated exposure;

j) aspiration hazard..

12. Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. N.A.

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

13. Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP)





PRN High fire grogged Black

Rev. 6 Date: 15/01/20 Page: 6 de 7

Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: No restriction.

Restrictions related to the substances contained: No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A.

15.2. Chemical safety assessment

No

16. Other information

Phrases used in heading 3:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation), category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), category 4
H302	Harmful if swallowed
H332	Harmful if inhalate

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold CCNL - Appendix 1 Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.



PRN High fire grogged Black

Rev. 6 Date: 15/01/20 Page: 7 de 7

STOT: TLV: TWATLV: WGK: Specific Target Organ Toxicity. Threshold Limiting Value. Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). German Water Hazard Class.