

(For occupational use not general public/consumer use)

Safety Data Sheet

Jan.2022 sp375

1.1 Product Identifier	Zest-it® Artists Adhesive Remover		
1.2 Relevant identified uses of the substance or mixture and uses advised against	Solvent for adhesive, glue and sticky stuff. Functional fluid. fluid.	Facilitating	
Product Numbers	ZAAR; 250, 125, 50	S&S Wholesale Pty. Limited 18/10 Pioneer Avenue,	
Container size	50 ml to 250 ml	Thornleigh NSW 2120)
1.3 Details of the supplier of the safety data sheet	J and T Blackman Ltd. High Street, Barwell, Leicestershire LE9 8DR Tel: 01162341001. Mob. 07885103576 email: msdssupport@zest-it.biz	 Tel: 1300 731 529 Emergency Contact: S&S Wholesale Pty. Li 	Fax: 1300 739 7
1.4 Emergency telephone No	National Poisons Information Service (UK) 0844 8920111 National Chemical Emergency Centre 08701906777 and +44(0)1270502891	Tel: 1300 731 529	Fax: 1300 739 7

SECTION 2: HAZARDS IDENTIFICATION			
.1 Classification of the substance or mixture			
Classification under CHIP; Directive 67/548/EEC or 1999/45/EC	Xn; Harmful: R65 may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.		
Classification under CLP; Regulation (EC) No 1272/2008 Most important adverse effects.	Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking		
2.2 Label elements			
Label elements under CLP Hazard pictograms Signal word	Danger		
Hazard statements:	H304 May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness and cracking		
Precautionary statements:	P301+331+315 If Swallowed: Do NOT induce vomiting: Get immediate medical advice/attention. P102: Keep out of reach of children. Wash hands after use.		
Label elements under CHIP Hazard symbols	Harmful		
Risk phrases	R66 Repeated exposure may cause skin dryness or cracking. R65 Harmful: may cause lung damage if swallowed.		
Safety phrases	S62;If swallowed do not induce vomiting: seek medical advice immediately and show this container or label. S2;Keep out of reach of children. Wash hands after use.		
2.3 Other hazards	The mixture contain no components considered to be either persistent, bioaccumulative, toxic (PBT) or very persistent and very bioaccumulative (vPvB).		

	· /	
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
3.2 Mixtures		
Aliphatic Hydrocarbon CAS-No: 64742-47-8 Classification (EC 1272/2008) R65 R66	70-95% EC No: 265-149-8 Classification (67/548/EEC) H304 EUH066	
Orange Terpenes CAS-No: 8028-48-6 Classification (EC 1272/2008) R65 R10 R38	EC No: 232-433-8 Classification (67/548/EEC) H226 H304	
The material(s) are listed on the following inventories: REACH, TSCA, DSL, ENCS, EINECS, AICS, ECL, ISHL, PICCS, KECl, ASIA-PAC and NZIoC		
The Full Text for all R-Phrases and Hazard Sta Composition comments	tements are displayed in Section 16 Proprietary blend of citrus oils and hydrocarbons(Benzene<0.1%)	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

(For occupational use not general public/consumer use)

CECTION 4. FID	T AID M			ational use not general public/consumer use)		
SECTION 4: FIRS				1. 10		
				outh to an unconscious person. If symptoms persist, always call Doctor		
				o at rest; Supply fresh air; consult doctor in case of complaints.		
	Immediately rinse mouth; drink plenty of water or milk. DO NOT induce vomiting. If vomiting occurs, keep head low; call for medical help immediately; transfer to hospital.					
				d or contaminated clothing and shoes. Promptly wash skin with soap y. If skin irritation occurs consult a doctor.		
	Immediatel lens. If irrit			elenty of water for up to 15 minutes, holding the eye open. Remove contact alt a doctor.		
4.2 Most importan	1.2 Most important symptoms and effects both acute and delayed. No further information					
4.3 Indication of any immediate medical attention and special treatment needed. No further information						
SECTION 5: FIR	SECTION 5: FIRE FIGHTING MEASURES MEASURES					
	General information Do not breathe in smoke. Use sand or soil.					
5.1 Extinguishing			Extingu	uish with foam, carbon dioxide (CO ²), dry powder, soil, sand or water D NOT use water jet as this will tend to spread the fire.		
_	5.2 Special hazards arising from the substance or mixture			May produce dense black smoke and toxic fumes. Vapours are heavier than air and may travel along the ground to nearby sources of ignition.		
5.3 Advice for firef	fighters		Wear se	elf contained breathing apparatus for firefighting where necessary.		
SECTION 6: ACC	CIDENTAL	RELEA	SE ME	ASURES		
	protective equipment and conta		age can be a slippage hazard. Avoid contact with eyes and skin. Turn leaking iners leak-side up to prevent further escape. Keep unprotected persons away. re adequate ventilation.			
			not allow to enter drains, sewers or watercourses. Contain the spillage using bunding.			
6.3 Method and material for Avoid		d sparks, flames. Ventilate. Absorb in vermiculite, dry sand or earth. Dike to ain spread. Keep in suitable closed container for disposal. Do not use sawdust				
6.4 Reference to ot	6.4 Reference to other sections					
SECTION 7: HANDLING AND STORAGE						
7.1 Precautions for handling	Do not handle or use near open flames or sources of ignition. Sparks must be prevented. Prevent formation of aerosols or mists. Use in well ventilated area.					
7.2 Precautions for s and any incompatib				original container in a cool dry well ventilated place. Keep away from of ignition, heat, spark or open flame. Keep container tightly closed		
7.3 Specific end us			n origina	al container in a cool dry place tightly closed and away from children.		
SECTION 8: EXP	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
8.1 Control param	neters Contains no substance wit		substanc	ce with occupational exposure limit values		
8.2 Exposure contr						
General protective hygienic measures	e and Keep away from foodstuffs, beverages and feed. Wash and dry hands before breaks and at					
Respiratory protec		specific osol or m		on requirements noted. Use suitable respiratory protective device when med.		
Eye Protection	We	ar approv	ed tight fi	itting safety glasses where splashing is probable. Provide eye wash station.		
Hand/Skin Protect						
Body Protection	Wear apron or protective clothing in case of splashes. Wash contaminated clothing before reuse. The type of protective equipment must be selected according to the concentration and amount of the substance at the specific workplace.					
SECTION 9: PHY	SICALA	ND CHE	MICAL	PROPERTIES		
9.1 Information on	basic phy	sical and	l chemic	cal properties		
BOILING POINT A	AND RAN	GE		180-239°C (356-462°F) 760 mm Hg (ASTM 1087)		
DENSITY (SG)			0.8 g/cm³			
` '	VAPOUR DENSITY			4.5 @ 80°C (Air=1)		

(For occupational use not general public/consumer use)

(For occupational use not general public/consumer use)				
VISCOSITY				
SOLUBILITY		Insoluble in water		
pH VALUE		6.8 ±		
FLASH POINT		68°C (154°F) (Pensky-Martens)		
AUTO IGNITION TEMPERAT	ΓURE	180°C (356°F) (ASTM E659)		
Flammability Limit - Lower(%)	Upper%	0.6%; 6.5%		
Colour		Colourless		
APPEARANCE		Clear Liquid		
ODOUR		Citrus/Hydrocarbon		
VOLATILE BY VOL. (%)		100		
9.2 Other information		No further relevant information available		
SECTION 10: STABILITY A	ND REACTI	VITY		
10.1 Reactivity	Stable under	recommended transport or storage conditions.		
10.2 Chemical stability	Stable under	normal conditions		
10.3 Hazardous reactions	No dangero	us reactions known		
10.4 Conditions to avoid	Open flames	s and other sources of ignition.		
10.5 Incompatible material	Avoid conta	ct with strong oxidizing agents and strong acids.		
10.6 Hazardous decomposition products	As with any organic material may liberate Carbon Dioxide (CO ²) possibly Carbon Monoxide (CO) and other toxic gases or vapours.			
SECTION 11: TOXICOLOGICAL INFORMATION				
General Information	Product l	nas low toxicity. Only large volumes may adversely impact human health.		
11.1 Information on toxicological ef	fects			
Hazard of substance	Aspirati	on hazard.		
1		stance has no evidence of carcinogenic properties.		
Ingestion	Pneumor	iia may be the result if vomited material containing solvents reaches the lungs.		
		ant at normal room temperatures. When heated, irritating vapours may be formed.		
		s may irritate.		
Skin contact	Acts as a	a defatting agent on skin. May cause cracking of skin, and eczema.		
Germ cell mutagenicity	This sub	ostance has no evidence of mutagenic properties.		
Reproductive toxicity	This sub	stance has no evidence of toxicity to reproduction or the unborn.		
Toxicological information on		Hydrocarbon (CAS: 64742-47-8)		
		mg/kg (oral rat)		
SECTION 12: ECOLOGICA	L INFORMA	TION		
12.1 Toxicity	The product is	not expected to be hazardous to the environment. Not considered toxic to fish.		
12.2 Persistence and degradability	-	s slowly degradable.		
12.3 Bioaccumulative potential	The product i	s not bioaccumulating.		
12.4 Mobility in soil	Evaporate eas	sily from all surfaces. Readily absorbed into soil.		
12.5 Results of PBT and vPvB	assessment	This product is not identified as a PBT/vPvB substance		
12.6 Other adverse effects		Negligible ecotoxicity		
SECTION 13: DISPOSAL CO	ONSIDERAT	IONS		
13.1 Waste treatment method	S Contact spe	cialist disposal companies. Do not allow runoff to sewer, waterway or ground.		
SECTION 14: TRANSPORTA	ATION INFO	RMATION		
Transport class		luct does not require a classification for transport. ADR 2017 SP 375 Provision): IMDG at 2.10.2.7: IATA DGR; SP A197; LQ		
14.1 UN number	No inform	nation required. (was UN3082)		
		mation required		
		Not applicable (ADR:IMDG:IATA:)		

(For occupational use not general public/consumer use)

4.4 Packing group Not applicable.			
14.5 Environmental hazard Marine pollutant - No.			
14.6 Special precautions for user	No information required		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and		Chemicals (Hazard Information & Packaging) Regulation
	environmental regulations/	Chemicals (Hazard Information & Packaging for Supply) Regulation 2009 (S.I 2009 No.716)
	legislation specific for the	Classification and Labelling of Substances and Preparations Dangerous for Supply. UK
	substance or mixture	Regulatory References Health and Safety at Work Act 1974. Guidance Notes
		Workplace Exposure Limits EH40. EU Legislation Regulation (EC) No 1907/2006
		REACH. Regulation (EC) No 1272/2008 CLP.

15.2 Chemical Safety Assessment

SECTION 16: OTHER INFORMATION				
Revision Date	29.Jan.2022			
Compilation Date	09.Jan.17;07.Nov.2013:20.Nov.2010:07.Nov.2008:2006:			
Sheet Reference	Zest-it Artists Adhesive Remover			
RISK PHRASES IN FULL	R10 Flammable R65 Harmful, may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking			
HAZARD STATEMENT IN FULL	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking.			

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.
- It is at all times the responsibility of the user to take all necessary measures to comply with safety precautions, legal requirements and local regulations.
- The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Legal Disclaimer. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information contained in this document is furnished without warranty, guarantee or representation of any kind to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own particular use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. J and T Blackman Ltd t/a Zest-it shall not be held liable for any damage resulting from handling or from contact with the above product.