Natural self-hardening clay

Page: 1 de 6

Rev. 8

Importer -

Date: 18/1/20

1. Identification of the substance / mixture and of the company:

1.1. Product identifier

Mixture identification: Trade name:

Natural self-hardening clay White Natural self-hardening clay Terracotta Natural self-hardening clay Yellow Natural self-hardening clay Grey Natural self-hardening clay Black

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Natural modelling clay.

1.3. Details of the supplier of the safety data sheet

CERÁMICA COLLET S.A. Pol. Ind. L'Olana s/n E-08292 Esparreguera (Barcelona) - SPAIN Tel. +34 93 777 23 44 Fax +34 93 770 94 11 Web: www.sio-2.com

Competent person responsible for the safety data sheet: msds@sio-2.com

1.4. Emergency telephone number

S&S Wholesale Pty. Limited 18/10 Pioneer Avenue, Thornleigh NSW 2120 Tel: 1300 731 529 Fax: 1300 739 715

Emergency Contact: S&S Wholesale Pty. Limited Tel: 1300 731 529 Fax: 1300 739 715

CERÁMICA COLLET S.A. Telf: +34 937772344 (08:30-13:00; 14:30-18:00; GMT +01:00)

2. Hazards Identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP) The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Harzard pictograms: None

Hazard statements: None

Precautionary statements: None

Special Provisions: None

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards: No other hazards

3. Composition / Information on ingredients

3.1. Substances N.A.



Natural self-hardening clay

Page: 2 de 6

Rev. 8

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: None

4. First aid mesures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water. Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13.

Natural self-hardening clay

Page: 3 de 6

Date: 18/1/20

Rev. 8

8⁰⁰⁻⁷

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of frost (keep at temperature >0°C). Keep away from food, drink and feed.

Incompatible materials: None in particular.

Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

8. Exposure controls / personal protection

8.1. Control parameters

No occupational exposure limit available.

DNEL Exposure Limit Values N.A. PNEC Exposure Limit Values N.A.

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands: Not needed for normal use.

Not needed for normal use

Respiratory protection: Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls: None

Appropriate engineering controls: None

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance and colour: | White plastic clay Red plastic clay Yellow plastic clay Grey plastic clay Black plastic clay |
|------------------------|--|
| Odour: | N.A. |
| Odour threshold: | N.A. |
| pH: | N.A. |

Natural self-hardening clay

Rev. 8 Date: 18/1/20

Page: 4 de 6

plus

| Melting point / freezing point: | N.A. | |
|---|-----------------------|--|
| Initial boiling point and boiling range: | N.A. | |
| | | |
| Flash point: | N.A. | |
| Evaporation rate: | N.A. | |
| Solid/gas flammability: | N.A. | |
| Upper/lower flammability or explosive limits: | N.A. | |
| Vapour pressure: | N.A. | |
| Vapour density: | N.A. | |
| Relative density: | 1.7 g/cm ³ | |
| Solubility in water: | Insoluble | |
| Solubility in oil: | N.A. | |
| Partition coefficient (n-octanol/water): | N.A. | |
| Auto-ignition temperature: | N.A. | |
| Decomposition temperature: | N.A. | |
| Viscosity: | N.A. | |
| Explosive properties: | N.A. | |
| Oxidizing properties: | N.A. | |

9.2. Other information

| Miscibility: | N.A. |
|--------------------------------------|------|
| Fat Solubility: | N.A. |
| Conductivity: | N.A. |
| Substance Groups relevant properties | N.A. |

10. Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions None

10.4. Conditions to avoid Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

11. Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product: N.A.

Toxicological information of the main substances found in the product: N.A.

ч.д.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

- h) STOT-single exposure;
- i) STOT-repeated exposure;

j) aspiration hazard.

CERAMICA COLLET S.A.

SAFETY DATA SHEET

Natural self-hardening clay

Page: 5 de 6

Rev. 8

Date: 18/1/20

12. Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. N.A.

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

13. Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es) N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards ADR-Enviromental Pollutant:

No No

14.6. Special precautions for user

IMDG-Marine pollutant:

N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 618/2012 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:



Natural self-hardening clay

Rev. 8 Date: 18/1/20 Page: 6 de 6

Restrictions related to the product: No restriction.

Restrictions related to the substances contained: No restriction.

Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III). Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive).

Provisions related to directives EU 2012/18(Seveso III): Seveso III category according to Annex 1, part 1 None.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

16. Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|-------------|--|
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-Weighted Average. |
| WGK: | German Water Hazard Class. |